4D 9220


The VEGETABLE SITUATION

FOR RELEASE FEB. 3, A.M. 1955

LIBRARY,

FER 1955

TVS-115



Cold-storage holdings of frozen vegetables in all but two months of recent years have been larger than a year earlier. This reflects the upward trend of both production and consumption in the United States.

Stocks of frozen vegetables begin to increase seasonally after midyear, when the new packs start moving into storage in heavy volume, and reach a peak in the fall. From that time until major production operations are resumed in the following year, stocks comprise the principal source of supplies available to fill consumer needs.

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE

Table 1.- Vegetables for fresh market and potatoes for marketing in early 1955: Commercial acreage, yield per acre, and production of principal crops, average 1949-53, annual 1954, indicated 1955

		Acreage			: Yield	non a	cre	, , , , , , , , , , , , , , , , , , , 	Production	<u></u>
Crop and			Indi-				Indi-	·		Indi-
seasonal	Average	1954		Unit	Average	105).	cotod	Average	1954	cated
group	1949-53	エラノマ	1955 :		1949-53	1774.	1955	ייז טויט בס'	, <i></i>	1955
			1977			<u>·</u>	1977	1,000	1,000	1,000
•	Acres	Acres	Acres :		•			units	units	units
VEGETABLES	<u>ACT CB</u>	ACTES	ACT CO		•			WIII VB	mir op	uni ob
Winter	•		•		•					
Artichokes	7,580	9,000	8,300:	Box	97	100	100	7 37	900	830
	0-	400		Bushel		75	70	72	30	46
•		23,600	23,500:			120	110		2,832	2,585
Beans, snap	5,540	6,000	-,,	Bushel		135	140	2,933	810	
Beets	0.0=0	8,050	*.**	Crate :		108	98	727 895	868	770 660
Broccoli :	1		41,200:				6.82			
Cabbage 1/		46,300	•				241		/	
Carrots	42,070	35,900	39,700:			252	246	10,350	9,050	9,565
Cauliflower		5,100		Crate :		254		966	1,293	1,406
Celery :	9,820	9,990	2.5	Crate :		756	756	6,720	7,554	6,920
Corn, sweet	4,040	9,900	-	5-doz.		דסט .	. 150	518	1,634	1,290
G.,	2 ((2	0.000		ears :		a 1. ~	300	ARE	22.0	50 5
Cucumbers :	1,660	2,200		Bushel:		145	100	275	319	280
Egg plant	730	800		Bushel:		450	475	302	360	380
Escarole	4,020	4,500		Bushel:		545	525	1,976	2,452	2,362
Kale :	2,920	3,000		Bushel		350	325	1,172	1,050	878
Lettuce :	60,040	61,500	63,400:			184	180	10,159	11,325	11,422
Peas, green	2,710	1,000	•	Bushel		60	60	146	60	30
Peppers,	3					-0-	- 0-			
green :	3,560	4,500		Bushel		385	385	1,491	1,732	1,771
Shallots :	3,100	2,800		Barrel		27	32	85	76	106
Spinach :	25,040	19,900	21,600:		•	173	1.84	4,203	3,435	3,974
Tomatoes :	13,660	17,400	16,500:			210	190	2,625	3,654	3,135
Total :	276,700	271,840	269,760:	Ton :	:5.3	5.7	5.5	1,474.2	1,557.2	1,476.7
:	}		:	•						
Spring :	•		:	;	:					
Early spring :			:	;	:					
Asperagus $\frac{1}{2}$:		72,400	2/76,000:			70		5,371	5,068	
Cabbage 1/ :	_ ,,	19,800	<u>2</u> /18,300:	Ton :	: 6.24	5-93		129,400		
Onions	34,740	39,500	38,000:	Sack :	: 123	110		3,688	4,345	
Midspring	}			:		_				
Asparagus 1/:	10,820	11,480	2/11,680:	Crate :	: 87	108		1,177	1,243	
Late spring :	:		:		:					
Asparagus $1/$:		59,820	2/61,450:			66		3,991	3,919	
Onions :	17,870	14,800	<u>2</u> /14,700:			270		4,611	3,992	
Watermelons :	77,980	106,800	<u>27102,800:</u>	Melon :	336	366		26,145	39,078	
Total:			:	:	:					
Spring $3/$:		326,500	325,030:	;						
Winter and:			:							
spring 4/:	561,270	598,340	59 4,790:	:						
Annual 47:	2,190,840	2,276,920	:	Ton :	4.5	4.7		9,888	10,611	
-:			:	1	:					
:	Average		3	;	: Average			Average		
	1944-53		:	;	: <u>1944-53</u>			1944-53	<u>3</u>	
POTATOES (Com-			:	;	1					
mercial early):		_	:	_ :		_			_	
Winter :	11,540	12,200	12,900:			293	271	2,300	3,571	3,500
Early spring :	25,220	23,000	23,300:			275		3,990	6,320	
Late spring :	160,040	115,700	131,550:			29 ⁴		41,044	33,967	
Summer :	98,370	59,200		Bushel:		203		20,192	12,028	
Total :	295,180	210,100	;	Bushel	235	266		67,526	55,886	
:			:							

^{1/} Includes processing. 2/ Prospective. 3/ Includes spring shallots. 4/ Includes asparagus used for processing and cabbage used for sauerkraut.

THE VEGETABLE SITUATION

io i tana ar

, ;;

Approved by the Outlook and Situation Board, January 26, 1955

SUMMARY

Supplies of vegetables for fresh market sale are smaller this winter than last. Commercial production of the 20 fresh vegetables is expected to be about 5 percent smaller than in the winter of 1954, and stocks of both cabbage and onions on January 1 were much below those of a year earlier. Supplies of potatoes, sweetpotatoes, and both canned and frozen vegetables are also smaller than in early 1954.

Acreage and marketing guides announced by the Department of Agriculture on January 31, 1955 recommend a more than 5 percent smaller acreage for late-crop potatoes this year than last, and a slightly smaller acreage for the summer and fall crops of the major fresh vegetables, summer melons, and the major vegetables grown for commercial processing. The acreage recommended for sweetpotatoes is equal to that in 1954. Yields equal to the average for recent years on the suggested acreages would result in larger production in 1955 only for the processing vegetables and sweetpotatoes.

Consumer demand for fresh vegetables is expected to continue about as strong this winter as last. Consumer incomes, after taxes, are currently slightly above a year earlier. The smaller supplies in prospect this winter for snap beans, broccoli, cabbage, celery, sweet corn, cucumbers, onions, and tomatoes probably will be reflected in higher average prices than last winter.

: Technical Bulletin No. 1105, "The Demand and : Price Structure for Selected Vegetables," is : now being distributed. Copies are for sale : (40 cents) by the Superintendent of Documents,: : Government Printing Office, Washington 25, D.C.:

Total supplies of commercially processed vegetables, both canned and frozen, available for distribution during the remainder of the 1954-55 marketing year are somewhat smaller than those of a year earlier. But they are sufficient to maintain consumption of these products by civilians at a high rate. Retail prices of most processed vegetables should average a little higher in the next several months than in the same period of 1954. Canned and frozen snap beans and sweet corn may be the major exceptions since supplies of these 2 items at the beginning of the year were somewhat larger than at the beginning of 1954.

Stocks of merchantable potatoes on January 1 totaled 118.2 million bushels, about 8 percent smaller than a year earlier. With total utilization likely to be close to that in early 1954, prices received by farmers for potatoes are expected to continue well above the very low level of a year earlier at least until mid-spring. Later in the spring, potato prices will depend on the tonnage harvested at that time for sale and the pattern of marketings. Indications as of January 1 were that the acreage planted to potatoes for spring harvest would be 11 percent larger this year than last, with most of the increase occurring in the seasonally important late-spring area. On the other hand, early reports indicate a 4 percent smaller total acreage to be planted to potatoes in the intermediate and late States this year than in 1954.

Supplies of sweetpotatoes are smaller than in early 1954 and prices during the remainder of the 1954-55 marketing season are expected to continue above those of a year earlier. The 1954 sweetpotato crop, currently being marketed, was 13 percent smaller than the 1953 crop and the third smallest since 1881. Prices received by growers remained below a year earlier until the bulk of the 1954 crop was marketed, and then advanced rather sharply. In mid-January growers received an average of \$2.83 per bushel, 11 percent more than a month earlier and 13 percent over mid-January 1954.

Supplies of dry edible beans are sufficient to maintain civilian consumption of these commodities in 1954-55 at about the same rate per person as a year earlier. White, red kidney and blackeye beans are in smaller supply than in 1953-54, but those of the other colored beans (including Pintos) and lima beans are larger. The relatively heavy sales in recent months of dry field peas for export indicate, that the supply for domestic use during the remainder of the 1954-55 marketing year is not as large as in the preceding year. Prices received by growers for both dry edible beans and peas in prospect for the coming months of the current marketing period are expected to stimulate increases in the acreages planted to these two crops in 1955. Acreage allotments on some crops may also encourage larger plantings of beans and peas this year than last.

COMMERCIAL VEGETABLES FOR FRESH MARKET

Production and Value of 1954 Crop Moderately Smaller Than 1953 Crop

The volume of the principal commercial vegetables produced in 1954 for fresh market sale totaled 10.2 million tons. This was second only to record 1953 crop of 10.3 million tons, and 6 percent above the average for the years 1949-52.

TVS-115 - 5 -

The small decline in 1954 was for the most part caused by the sharp reductions in the onion and cabbage crops, which more than offset the increases for tomatoes and watermelons. The latter was a record crop. Among the other important crops, reductions were reported for asparagus, broccoli, carrots, cauliflower, honeydew melons, and spinach. On the other hand, increases over 1953 occurred for snap beans, cantaloups, celery, sweet corn, cucumbers, lettuce, and green peppers. Except for snap beans and cucumbers, production of each vegetable in the latter group was a record in 1954.

The spring crop was the only one of the year that was larger-by 4 percent-than the corresponding crop in 1953. Production during the winter was about equal to a year earlier, while the summer and fall crops were each down 3 percent. The reduction in the summer was caused mainly by unfavorable weather which reduced yields. The acreage harvested was larger. For the fall crop, the smaller output in 1954 was due mainly to the smaller acreage harvested; the average yield was about equal to that of a year earlier.

The value of the 1954 commercial vegetable crop was \$722.2 million, 3 percent less than that of the preceding year. Although this was lower than in any year since 1950, it was about equal to the 1949-52 average. The value was higher than in 1953 for only 5 of the 28 vegetables for which data were reported-eggplant, garlic, kale, lettuce, and onlons.

Prospects Are for a Smaller Crop of Winter Vegetables Than in 1954

Conditions on January 1 indicated that the production of commercial vegetables this winter for fresh market sale would be about 5 percent smaller than that of a year earlier, but about equal to the 5-year (1949-53) average. The expected production decline is attributed to lower yields than those experienced in the winter of 1954 when weather conditions were comparatively favorable. The indicated acreage to be harvested this winter is almost as large as that of last winter. Low temperatures in the latter part of December reduced yields on several crops in Florida and slowed the growth and development of all vegetable crops in California and Arizona. Cold weather in mid-January was damaging to the tender winter-vegetable crops being harvested in the Everglades section of Florida.

Among the major winter-season vegetables, production of snap beans, broccoli, cabbage, celery, sweet corn, escarole, and tomatoes is expected to be smaller than last winter. The total reduction for these crops is expected to more than offset increases in prospect for carrots, cauliflower, lettuce, green peppers, and spinach.

January 1 Stocks of Cabbage and Onions Smaller Than Year Earlier

Stocks of Danish-type cabbage in upstate New York on January 1 totaled 40,000 tons, nearly a third smaller than a year earlier but 57 percent above the 1943-52 average for that date. This year's stocks were equivalent to 26 percent of production compared with 40 percent last year when the early fall Danish-type crop in New York was moderately smaller.

The total quantity of merchantable onions In storage on January 1, 1955 was almost 10 million sacks (50 pounds). This was 20 percent smaller than a year earlier but 11 percent larger than the average for the years 1946-53. Holdings in the castern States at the beginning of this year were down considerably (by 39 percent) from the unusually large stocks of a year earlier, but were still much above average. In the central and the western States, where stocks were larger than reported for the east, holdings were also smaller than on January 1, 1954--by 6 and 16 percent, respectively.

USDA Guides for Summer and Fall Vegetables

The Department of Agriculture recently announced acreage and marketing guides for commercial fresh vegetables to be grown for harvest this summer and fall. For the summer vegetables the guides recommend a 1 percent smaller acreage for harvest this year than last. Among the 16 vegetables covered, a larger acreage for harvest was suggested for cauliflower, sweet corn, and tematoes; and about the same acreage as in the summer of 1954 for lima beans, eggplant, onions, green peas, and spinach. Reductions were outlined for snap beans, beets, cabbage, carrots, celery, cucumbers, lettuce, and green peppers. Yields equal to those of recent years on the suggested acreages would result in a total tonnage 2 percent smaller than that produced commercially during the summer of 1954 for fresh market sale.

The guides for 15 fall-season vegetables suggest a 1 percent smaller acreage to be harvested than a year earlier. Increases are recommended for fall-season snap beans, cauliflower, and lettuce; and reductions for cabbage, carrots, celery, sweet corn, cucumbers, eggplant, and green peppers. For lima beans, broccoli, green peas, spinach, and tomatoes the guides suggest an acreage about equal to that harvested in fall 1954. If yields on these acreages are equal to the average of recent years, commercial production of vegetables for fresh sale would be 4 percent smaller this fall than last.

A 12 percent smaller harvested acreage this year than in 1954 was suggested for summer melons, with the reductions to apply to the acreage for mid-summer cantaloups, and early- and late-summer watermelons. The 1955 acreages suggested for early- and late-summer cantaloups were both equal to those of last year. Yields equal to those of recent years on the recommended acreages would result in a 4 percent smaller total production this year than in 1954.

VEGETABLES FOR COMMERCIAL PROCESSING

1954 Crop Below 1953 But Above Average

Production of 11 major vegetables in 1954 for commercial processing is estimated at 5,953,300 tons. Although this was 10 percent smaller than the 1953 total, it was about 4 percent larger than the 1943-52 annual average of 5,744 thousand tons.

Output of asparagus and snap beans exceeded that in 1953, with the snap bean crop setting a record high. But these increases were much more than offset by production declines for the other 9 processing vegetables. The tonnage of green peas harvested for canning and freezing was the smallest since 1949, and those of spinach and tomatoes for processing were the lowest since 1950. Smaller processing crops than in 1953 were also reported for lima beans, beets, cabbage for kraut, sweet corn, cucumbers for pickling, and pimientos.

Small Crop Due To Reduced Acreage And Yields

The smaller crop of major vegetables for processing, 1954 than in 1953, resulted from declines in both the harvested acreage and yield per acre. The acreage harvested in 1954 totaled 1,737 thousand, 4 percent smaller than a year earlier and almost 6 percent less than the comparable 1943-52 average. The yield for all the processing vegetables averaged 6 percent below that in 1953, but 10 percent above the 10-year average.

The acreage of tomatoes for processing harvested in 1954 was the smallest in 28 years. On the other hand, the harvested acreage of asparagus was the largest on record, that for lima beans the second largest of record, and that for snap beans was exceeded only in 1943 and 1944. Harvested acreages of beets, cabbage for sauerkraut, sweet corn, green peas and spinach were below 1953 and the 1943-52 average.

Total Value Of Processing Crops Below 1953 But Above Average

The total farm value of the major vegetables grown commercially in 1954 for processing is 243.7 million dollars, 12 percent lower than a year earlier but 8 percent above the 1943-52 average. The decline from 1953 was largely the result of the smaller tonnage harvested and to a smaller degree the lower season average price. Asperagus and spinach were the only 2 major processing crops for which the price was higher than in 1953.

Guides Suggest Smaller Acreage For Processing Crops in 1955 Than Harvested In 1954

The acreage and marketing guides for 1955 announced by the Department of Agriculture on January 31 suggested a 1 percent smaller total acreage of 9 important commercial vegetables for processing than that planted last year. The increases recommended for green peas, spinach and tomatoes are a little more than offset by reductions for lima beans, snap beans, cabbage for sauerkraut and sweet corn. The guides also suggest a planted acreage for beets and cucumbers for pickling about as large as in 1954. With a yield per acre equal to the average of recent years, production of processing vegetables on the recommended acreage would be 2 percent larger than last year.

- 8 -

CANNED VEGETABLES

Incomplete Data Indicate Smaller Supplies Than A Year Earlier

Packs of several important items reported through late January 1955 point to a somewhat smaller total pack in 1954 than in 1953. Substantial reductions from a year earlier are indicated for canned green peas, tomato juice, pimientos, pumpkin and squash, and the California pack of tomato paste. Slight to moderate declines from 1953 occurred for sweet corn, whole tomatoes, and the packed-equivalent of the cucumber crop for pickles and the cabbage crop for sauerkraut. These reductions are expected to be partly offset by larger packs of canned asparagus, lima beans, snap beans, tomato sauce, and tomato catsup. Those of asparagus, lima beans and snap beans were much larger in 1954 than a year earlier.

Data on packers' and distributors' stocks of a number of major canned vegetables as of January 1 probably will be available in early February. Reports for earlier periods indicate that current stocks probably are somewhat larger than a year earlier for canned asparagus, lima beans, snap beans, sweet corn, and sauerkraut packed in bulk. On the other hand, stocks of canned green peas, tomatoes, and tomato juice appear to be somewhat lower.

FROZEN VEGETABLES

New Pack Below Record 1953 Level

Preliminary indications are that the 1954 pack of commercially frozen vegetables did not reach the record level of 1953. Data collected by the National Association of Frozen Food Packers point to substantially smaller packs of frozen asparagus, cut corn, and spring-season harvested spinach than in 1953 and a moderate reduction for frozen green peas.

Holdings of frozen vegetables in cold storage at the end of 1954 totaled 636.4 million pounds, almost 10 percent smaller than a year earlier. Declines for asparagus, broccoli, cauliflower, green peas, pumpkin and squash, and spinach more than offset increases for lima beans, snap beans, Brussels sprouts and sweet corn.

This is the first time in recent years that stocks of frozen vegetables at the end of the year were smaller than at the beginning. Holdings at the beginning of 1954 were 10 percent higher than a year earlier, but the decline through May was faster than in 1953. The seasonal increase in stocks after mid-summer was smaller than a year earlier, reflecting largely the smaller pack and a high rate of consumption. Holdings at the end of October were below those on the same date in 1953.

POTATOES

Potato Stocks 8 Percent Smaller Than A Year Earlier

Stocks of merchantable potatoes held in or near growing areas on January 1 totaled 118.2 million bushels, almost 8 percent less than a year earlier. Stocks were smaller than in 1954 in the eastern late States (15.2 percent), the western late States (4.2 percent), and in the intermediate States (less than 1 percent). Partly offsetting these declines were the 3.7 percent larger stocks held in the central late States. The stock estimates include all potatoes available for sale for food and nonfood purposes.

400

Prices Received For 1954 Crop Much Above Low Levels For 1953

The season-average price 1/ received by growers for 1954-crop potatoes is estimated to be more than half again higher than the low level for the preceding crop. However, the 1954 crop average has been exceeded eight times in the last 15 years--which includes some years during which a price-support program was in operation.

Prices received for 1954-crop potatoes began to strengthen in spring 1954 and continued at a higher level than a year earlier into the second half of the 1954-crop marketing season. Among the important factors which helped bolster prices last spring were the prospect for a smaller crop in the early-commercial potato areas which harvest the crop in late spring, and the reduction of the heavy supplies of late-1953 crop potatoes through diversion and other means. The smaller intermediate and late crops in 1954 plus the better geographical distribution of production of the late crop than in 1953 helped maintain prices to growers at a much higher level than a year earlier into January 1955.

With merchantable stocks of late-crop potatoes smaller and consumption by civilians at a rate close to that in early 1954, farm prices of potatoes this winter probably will remain well above the very low ones of last winter. The Department of Agriculture, in response to recent requests for a starch diversion program or other assistance, indicated on January 26 that current marketing comditions do not warrant an assistance program for the remaining 1954 late crop potatoes.

Larger Exports and Smaller Imports Than Year Earlier in Prospect For Next Few Months

With the 1954 potato crop in Canada 25 percent smaller than the 1953 crop, potato exports from the United States during the winter and spring of 1955 are expected to continue larger than a year earlier, and imports smaller. During September and October 1954, the last 2 months for which official data are available, exports from the United States totaled almost 2 million bushels. This was more than a fifth higher than a year earlier. Exports to Canada during these 2 months—although smaller than the volume shipped to Cuba—were equivalent to 0.7 million bushels, about 9 times that exported in September and October 1953.

Imports of potatoes during September and October 1954, totaled the equivalent of 7,500 bushels compared with 73,900 bushels imported a year earlier. The decline in imports was significant for both seed-stock and table-stock potatoes.

Import Regulations on Potatoes Become Effective February 7

The U.S. Department of Agriculture on January 5, 1955 issued regulations specifying the minimum grade and size requirements of potatoes imported into the United States. The regulations, which become

^{1/} Prices by States, weighted by production.

effective on February 7, limit imports of round white or red skinned varieties to U. S. No. 1 or better grade, 2 inches minimum diameter when the potatoes are in packs of 100 pounds or more; or to U. S. No. 1, size A, 2 inches minimum diameter, when in packs of less than 100 pounds. For the long white varietes, such as the Russet Burbank, the requirements are: U. S. No. 2 or better grade, Size A, 2 inches minimum diameter or 4 ounces minimum weight. The regulations do not apply to imports of certified seed.

Canada, the major source for our imported tablestock and seed potatoes, has regulations limiting exports of their potatoes to the grades and sizes which are similar to those mentioned above.

The import controls imposed by the USDA regulations are authorized under Section 608e of the Agricultural Marketing Act of 1937, as amended. The Act prohibits the importation of potatoes and a number of specified fresh fruits and vegetables that fail to meet the requirements as to grade, size, quality, and maturity provisions in effect with respect to such commodity under a marketing order. Potatoes are one of the commodities for which marketing orders are currently in effect.

<u>Winter and Spring Acreage</u> Larger Than in 1954

Reports from producing areas point to a planted acreage of 167,750 acres for the 1955 winter and spring early-commercial potato crop, 11 percent more than last year. The largest increases are indicated for the late-spring area, especially in Alabama and California where the acreage last year was much smaller than in 1953.

The indicated winter crop of early commercial potatoes—which will comprise a relatively minor part of the total supplies of potatoes available for sale in January-March—is a little smaller this year than last because of reduced yields per acre. The indicated acreage for harvest is more than 5 percent larger than in winter 1954.

The volume of early-commercial potatoes harvested this spring is expected to be larger than that of spring 1954. Production in early spring probably will be close to that of a year earlier since acreage is indicated to be only a little larger than that planted in 1954. The crop that will be harvested in late spring is expected to exceed that of a year earlier because the indicated acreage is up about one-seventh from that planted in late spring 1954. If the average yield on the indicated 1955 acreage equals the 1950-54 average, the crop would be much larger than that of 1954 and could have a depressing effect on farm prices of potatoes in late spring. The extent of any decline would also be influenced by the marketing pattern of the spring crop and remaining supplies from the 1954 late crop.

USDA Guides Recommend Smaller Late-Potato Crop Acreage Than Planted in 1954

The acreage and planting guides announced recently by the Department of Agriculture suggest that a total of 1,023,500 acres be planted to potatoes in late States in 1955. This is more than 5 percent smaller

than corresponding plantings in 1954. On a State basis, acreage reductions were recommended for California, Colorado, Connecticut, Idaho, Maine, Minnesota, Nevada, North Dakota, Oregon, South Dakota, Utah and Washington. For each of the other States in the late-States group, the guides suggest an acreage no larger than that planted last year.

If the acreage planted in each State equals that suggested by the Department and yields per acre are about the same as the 1951-54 average for the late-States group, the 1955 late crop of potatoes would be 5 percent smaller than that of a year earlier.

1 3406

Intention Indications Point To Smaller Acreage Planted in Intermediate and Late States This Year

According to estimates based on growers January 1 planting intentions reports, a total of about 1,138,500 acres will be planted to potatoes this year in the intermediate and late States. This is 4 percent less than the total acreage in these States in 1954. The intentions for 1955 indicate declines for all areas, with plantings in the eastern late and the central late States each down 5 percent, the western late area 2 percent smaller, and the intermediate States down 1 percent.

SWEETPOTATOES

1954 Crop Smaller Than 1953 Crop

The 1954 crop of sweetpotatoes totaled 29,880,000 bushels, down 13 percent from that of a year earlier and 41 percent below the 10-year (1943-52) average. The reduction from 1953 resulted from the smaller acreage harvested and the lower average yields per acre. The yield of 86.5 bushels in 1954 was the lowest since 1943.

Most of the reduction from 1953 occurred in the South Atlantic and the Gulf States where yields were reduced by dry weather. In New Jersey, California and Tennessee, which are also important producers of sweet-potatoes, production was above that in 1953 because of larger acreage and yields.

Prices Lower Than Last Year

The season-average farm price of the 1954 sweetpotato crop has been tentatively estimated at \$2.31 per bushel. Although this is 8 percent less than the average for the 1953 crop, it is the fourth highest on record dating back to 1888. The peak season-average price received by growers for sweetpotatoes was \$3.38, for the 1952 crop.

Marketings were seasonally heavy through November, and mid-month prices received by growers for sweetpotatoes were lower than a year earlier. However, prices strengthened and in mid-December averaged \$2.59 per bushel, about 5 percent higher than a year earlier. With the bulk of the 1954 sweetpotato crop already marketed and remaining supplies somewhat smaller than a year earlier, prices received by growers are expected to continue higher than in the same part of the 1953-54 marketing year.

USDA Guides Suggest Sweetpotato Acreage Equal To That Planted in 1944

The Department of Agriculture's acreage and marketing guides for 1954, which were announced on January 31, suggested a total of 354,000 acres be planted to sweetpotatoes in 1955. This is about equal to that planted in 1954, but about 15 percent smaller than the 1948-52 average. Allowing for a small loss between the acreage planted and that harvested, yields equal the average of the past 5 years, would result in a total of about 32.5 million bushels, 9 percent more than the 1954 crop but the fourth lowest of record since 1884.

DRY EDIBLE BEANS

Dry Bean Crop In 1954 Slightly Larger Than 1953 Crop

The crop of dry elible beans produced in 1954 totaled 17 million bags (hundred pounds, cleaned basis), a little larger than that of the preceding year and 5 percent above the average for the years 1943-52. The increase over the 1953 crop resulted from the larger acreage harvested; the yield per acre was 8 percent smaller than in 1953 because of unfavorable weather in some of the important producing areas.

Production By Classes

As in the preceding year, Pinto beans was the leading class of dry beans produced in 1954. Output totaled 4.6 million bags (cleaned basis), 6 percent smaller than the 1953 crop but the second largest Pinto bean crop of record. The Pea bean crop, the next largest class produced, amounted to 3.1 million bags, 13 percent below a year earlier. The other leading classes of dry beans were Great Northern, Large (Standard) Limas, and Red Kidneys. The crop of Red Kidney beans was the only one in this group for which production was smaller than in 1953.

Continued Strong Demand For Dry Beans In 1954-55

In general, the demand for dry beans is expected to continue fairly strong throughout the current marketing year, with total disappearance close to the tonnage produced in 1954. Prices received by farmers for 1954-crop beans are expected to average close to those for the preceding crop.

The average price received for Pinto beans may be lower than in 1953-54 because of the larger supplies during the present marketing period. The 1954 crop of Pintos was somewhat smaller than that of 1953, but carry-over stocks were much heavier. On the other hand, prices received for white beans in 1954-55 will be higher than a year earlier largely because of smaller supplies. While total exports of dry beans in 1954-55 may exceed those of the preceding year, they probably will be comprised mainly

of 1953-crop beans shipped under Governmental programs. Domestic disappearance of dry beans may be larger than in 1953-54 due to the movement of old-crop Pinto beans into the school-lunch program and other eligible domestic outlets.

Larger Acreage In Prospect For 1955

The acreage planted to dry beans in 1955 is expected to be larger than last year. The relatively high prices received for 1954-crop white, red kidney and blackeye beans probably will encourage producers to increase the acreage planted to those classes of beans. Little change from 1954 in the acreage planted to the other classes of colored beans (including Pintos) and to lima beans is expected. Restrictions on acreage of some alternative crops in some areas also may stimulate some increase in beans.

DRY FIELD PEAS

Crop Larger In 1954 Than Year Earlier But Below Average

The 1954 dry field pea crop of 3,077 thousand bags (hundred pounds, cleaned basis) was 3 percent larger than the preceding crop, but below the 10-year average. The increase over 1953 resulted from both the small increases in the total acreage harvested and the average yield per acre. Compared with the 10-year (1943-52) average, production of dry peas was down by more than a third. The average includes the wartime and immediate postwar years when production was encouraged by strong export demand, particularly for relief feeding programs overseas.

Prospective Food Use of Dry Peas To Continue Below One Pound Per Capita

According to rough approximations, civilian consumption of dry peas during the 1954-55 marketing year is expected to be from $\frac{1}{2}$ to $\frac{3}{4}$ of a pound per capita, as in recent years. In total, domestic food use probably will be around a million bags, about a third of the 1954 crop. Domestic non-food utilization—mainly as seed—will continue to be the largest outlet for dry field peas.

In recent years the largest part of our dry pea crop has been used domestically as seed to plant not only the crop to be harvested as dry peas, but also the important crops harvested green for canning, freezing and fresh market sale. In addition, quantities are used as livestock feed on farms where dry field peas are grown. Exports in the past few years have averaged around a fifth of our crop.

Prices Received For Bry
Peas Likely To Remain
Above 1953-54

Prices received by growers for dry peas during the early months of the 1954-55 marketing year were below those of the preceding season. However, a strong export demand developed early in the fall season and prices increased. Mid-month prices to growers advanced almost 40 percent from October to November, and around 15 percent from November to December. The mid-December price, reported at \$6.87 per hundred pounds, was \$1.29 higher than a year earlier and the highest of record for that month beginning with 1938. Because of the heavy export sales in recent months, supplies available for distribution during the remainder of the current year are smaller than in the same period last year. Farm prices of dry peas are expected to remain above those in 1953-54.

Expansion In Acreage Likely In 1955

Some increase in the acreage planted to dry peas in 1955 is expected. The higher farm prices than a year earlier in prospect for the remainder of the 1954-55 marketing season probably will encourage some expansion in acreage. In addition, acreage allotments on some crops may also result in a larger acreage planted to peas in 1955, than last year.

Table 2.- Vegetables for fresh market: Commercial acreage, production, and season average price per unit received by farmers, for principal crops, average 1949-52, annual 1953 and 1954

		Acreage	:	• • • • • • • • • • • • • • • • • • • •	P	roduction		Pri	ce per un	it
Crop	Average : 1949-52 :		1954	Unit	Average : 1949-52 :	1953	1954	Average 1949-52	1953	1954
	Acres	Acres	Acres :		1,000 units	1,000 units	1,000 units	Dollars	Dollars	Dollars
Artichokes :	7,320	8,600	9,000	Вох	706	860	900	3.86	3.60	3.05
Asparagus	40,770	46,220	42,850	Crate	3,705	3,858	3,455	3.92	3.86	4.03
Beans, lima	21,760	18,500	17,600	Bushel	1,713	1,433	1,351	2.52	2.82	2.72
Beans, snap	179,720	15 7,22 0	158,500:	Bushel	18,450	17,342	17,899	2.41	2.71	2.42
Beets	8,800	8,290	8,960	Bushel	1,644	1,612	1,617	1.32	1.38	1.34
Broccoli 1/	39,300	44,550	38,650	Crate	4,504	5,292	4,663	3.70	3.29	3.15
Brussels sprouts <u>1</u> /	5,460	6,000	6,500	Ton	22,625	34,100	28,800	206.55	201.09	184.72
Cabbage 2/	148,500	151,510	143,380:	Ton	1,181,200	1,232,000	1,135,200	41.84	31.20	27.86
Cantaloups 3/	126,790	140,070	153,520	Crate	13,916	15,252	15,932	3.10	3.62	3.35
Carrots 1/	85,800	82,150	80,050	Bushel	30,287	31,381	31,006	1.50	1.60	1.61
Cauliflower 1/	31,430	29,700	27,750	Crate	12,694	11,931	10,010	1.27	1.19	1.33
Celery 1/	37,140	36,620		Crate		24,003	24,937	2.34	2.18	1.99
Corn, sweet	216,720	215,100	225,100	5-dozen ears	22,611	23,905	24,856	1.65	1.94	1.77
Cucumbers	48,920	49,000	52,250	Bushel	7,042	7,528	8,129	2.36	2.80	2.25
Eggplant	5,240	4,500	4,900	Bushel	1,461	1,342	1,499	1.57	1.60	1.58
Escarole	4,020	4,000	4,500	Bushel	1,980	1,960	2,452	1.24	1.15	1.05
Garlic	2,540	1,450	1,950	Sack	144	109	136	10.74	14.60	13.40
Honey balls	620	150		Crate	80	15		4.10	5.∞	
Honey dews	9,590	10,800	12,300	Crate	2,866	3,460	3,306	2.00	2.12	2.10
Kale	2,850	3,200	3,000	Bushel	1,145	1,280	1,050	.70	.50	-55
Lettuce	212,120	209,620	206,150	Crate	37,230	40,170	40,492	3.22	3.04	3.10
Onions 2/	119,300	132,220	115,720	Sack	40,938	49,847	42,099	1.58	.68	1.16
Peas, green	23,380	12,570	14,630	Bushel	2,384	1,405	1,422	2.14	2.48	2.43
Peppers, green	38,760	41,510	49,100	Bushel	9,237	10,082	11,124	2.05	2.25	1.89
Shallots	5,000	5,400	4,700	Barrel	136	157	127	7.26	9.85	9.43
Spinach	50,060	40,500	39,050	Bushel	11,489	10,288	9,212	1.10	1.09	1.15
Tomatoes	233,560	234,760	250,000	Bushel	33,961	34,638	36,435	3.46	3.73	3.45
Watermelons 4/	367,900	435,150	453,350	Melon	97,807	109,916	118,909	3.56	4.01	2.95
Total	2,073,370	2,129,360	2,160,090:	Ton	: : 9,554.4 :	10,255.8	10,174.7	75.64	72.74	70.98

Includes some quantities used for processing.
Includes production used for dehydration.
Includes Casabas, Persians, and other muskmelons.
Price based on 1,000 melons.

16

Table 3.- Vegetables, fresh, potatoes, and sweetpotatoes: Unloads at 19 markets, indicated periods in 1954, with comparisons

(Expressed in carlot equivalents) 1953 September October July August September October : Rail. Rail. : Rail. : Rail. : Rail, : Rail. : Commodity : Im- : Total ; boat, : Truck : boat, Im-: Total : boat, : Im- : Total : boat, Im-In-: boat, : Imboat. : Truck : : Truck Truck Total Total Total Truck : ports: : ports: : ports: : ports: : and : ports: : and : and and and and : : ports: air air air air air air 32 32 Asparagus Beans, lima,: snap and 1,336 1,378 83 1,263 1.346 2 1.609 1,611 2 1.565 1,567 2 15 954 5 974 42 fava ------240 243 204 204 **29**4 294 221 221 183 183 176 176 Beets 3 ------8 145 82 115 59 62 65 73 39 106 214 296 Broccol1 57 104 161 210 325 3 Brussels 20 52 106 175 62 19 sprouts 66 1,845 18 1,823 1,841 1.982 2,019 1.801 1.867 49 1,956 2,005 1,744 37 Cabbage 86 1,934 2.020 101 Cantaloups and other 1,745 2,754 ,238 1,184 8,414 4,261 6,168 1,294 4,057 475 32 5,023 1,073 542 6 1,621 6,480 1.934 1,905 2 9 melons 1/ 3,839 885 1,421 1,429 721 855 2 1,578 1.674 978 602 1,580 701 720 694 735 692 631 1 1,324 789 Carrots 73 649 63 1,362 69 1.411 1,480 184 1,426 80 1,569 1,649 52 418 470 729 1,299 ___ Cauliflower : 1,242 ---581 1 1,067 1.564 594 1,469 2,063 567 1,566 2,133 ni1,377 ---2.088 749 . 386 2,135 1,369 2,051 2,631 ------Celery ---83 3,214 3,300 1 2,379 145 894 162 2,223 2,385 189 455 644 378 2,019 ---2,397 3 69 2,309 749 Corn 65 788 86 623 40 1,563 1,603 13 1,427 1,440 956 1,021 41 747 Cucumbers 95 879 709 Escarole and: 374 268 269 285 289 1 325 327 2 372 314 12 311 323 10 304 endive ---Lettuce and : 2,676 5,005 1,747 5,062 2,459 2,188 4,647 2,673 3,507 14 6,194 2,818 2,457 89 5,364 2,915 2,043 33 4,991 329 . 306 romaine 2,186 1,541 2,181 1,441 526 .624 652 1,797 6 2,455 636 Onions, dry: 682 1,680 19 2,381 536 1 1,978 956 1,385 26 2,367 36 Onions. 274 2 276 247 238 384 385 345 350 9 14 246 261 231 1 5 green 2/ 1 ---69 72 103 121 26 18 44 96 87 183 117 45 162 30 99 31 82 Peas, green : 39 ---988 1,041 745 1 942 134 931 2 1.067 11 984 5 .,000 15 ,063 2 .080 107 840 2 949 196 50 3 Peppers 350 248 218 25 283 308 334 38 289 327 13 338 351 5 253 11 229 16 Spinach Other cooking 555 82 609 71 401 481 372 138 510 437 105 542 660 527 9 23 505 132 greens 470 476 1 505 510 1 700 704 968 975 SH8 1 906 911 624 3 Squash 20 4,382 2 1,515 126 3,641 915 4,260 95 5,270 325 .172 80 4,577 589 3,792 1,514 .275 3,791 3,328 ,435 2 Tomatoes 104 Turnips and 185 494 140 214 251 178 29 16 141 147 304 13 6 214 225 452 121 122 16 15 rutabagas : 146 182 3,968 10,242 571 72 1,490 1,562 137 176 6,274 4,456 5,027 1,182 1,424 Watermelons : 242 Other vegetables : (including: 1,482 1,666 1,682 1,704 1,487 321 89 307 1,206 153 1,121 114 535 1,089 80 284 1,070 5 1,359 318 1,057 112 1,072 mixed) 40,891 9,037 25,267 392 34,696 8,549 20,030 29,038 28,185 18,126 31,324 154 49,604 10,493 29,902 496 35,696 8,528 3.9,249 408 Total above: 11,958 23,305 433 10,456 5,400 4,687 10,087 5,664 5,081 5,134 5,321 10,259 11.367 5,295 10,377 1 Potatoes 5,318 5,348 10,666 6,075 4,152 32 5,703 Sweet-1,520 1,144 67 1,270 16 1,353 26 285 312 39 666 714 1,260 16 1,321 71 1,439 10 potatoes 1,237 51,982 14,216 31,848 409 46,473 14,020 26,156 469 40,645 39,797 23,855 37,273 155 61,283 15,613 35,863 506 441 47,599 14,670 24,671 456 GRAND TOTAL: 17,361 29,797

 ^{1/} Except watermelons.
 2/ Includes shallots, chives, cipolinas, leeks, scallions, and green onions.

Table 4.- Vegetables, fresh: Representative prices (1.c.1. sales) at New York and Chicago for stock of generally good quality and condition (U.S. No.1 when available), indicated periods, 1954-55, with comparisons

New York		:	:	Tue	sday near	est mid-	month	
Dec. 15 Jan. 12 Oct. 11 Nov. 16 Dec. 14 Jan. 12		: : Unit	19	53-54	:	19	54-55	
New York	and State of origin	:	Dec. 15	Jan. 12	Oct. 11	Nov. 16	Dec. 14	Jan. 11
Seens, snap, green,			: Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
Bushel	New York	:	:					
Beets bunched, Texas From the colling Second California 114 Second S	Beans, snap, green,	:	:					
Broccoll, California Cabbage, Domestic, 1-3/\(\) bushel		: Bushel	: 3.47	5 .3 6		5.00	3.32	5 .2 5
Cabbage, Demestic, 1-3/h bushel	Beets, bunched, Texas			3.00				3.33
Round type, Florida			: 5.03		3.44	5.00	3.3 5	
Cabbage, Danish type, : : : : : : : : : : : : : : : : : : :			:				_	
New York : 50-pound sack : 1.03		: crate	:	2.37			3.56	2.75
Carrots, bunched, California : WGA crate : 6.52 6.08 6.58 7.00 6.23 6 Carrots, topped, New York : Bushel : 1.12 1.12 3.87 3 Celery, Golden Heart, Florida : 16-inch crate : 4.33 3.87 3 Celery, Golden Heart, California : ½ crate : 4.97 6.00 5 Celery, Pascal, Calif: 16-inch crate : 3.54 4.60 4.10 4.24 4.06 5. Cucumbers, Florida : Bushel : 2.77 8.58 2.93 4.35 6. Eggplant, Florida : Bushel : 2.54 3.00 3.25 3.70 2.25 2. Escarole, Florida : 1-1/9 bu. crate : 1.60 1.88 3.29 1.60 1. Lettuce, Iceberg type, California : 2-dozen carton : 4.43 5.25 4.90 1.00 Cnions, yellow, New York: medium size : 50-pound sack : 1.88 1.87 2.05 2.55 2.30 2. Onions, yellow, New York: medium size : 50-pound sack : 98 .91 1.17 1.81 1.66 1. Feppers, green, Florida : Bushel : 1.05 2.19 1.00 1.18 2. Tomatoes, Florida : 6x6, 60-lb. crt: 11.70 8.75 7.00 5. Escande, Savoy type, : Various States : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beans, snap, green, : Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beans, snap, green, : Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beats, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8. Calbage, Domestic Round : WGA crate : 5.75 5.25 5.75 5.25 6. Carrots, topped, Ill. : 50-pound sack : .80 .85 1.10 1.10 1.00 Celery, Golden Heart : Florida : Bushel : 3.60 .85 1.10 1.10 1.00 Celery, Golden Heart : Florida : Bushel : 3.60 .85 5.25 6. Eggplant, Florida : Bushel : 3.60 .825 7.50 3.40 5.25 6. Eggplant, Florida : Bushel : 3.60 .825 7.50 3.40 5.25 6. Eggplant, Florida : Bushel : 2.60 3.90 2.50 2. Edifornia : 2 dozen heast : 2.25 4.00 4.50 2.25 4.40		:	:					
California : WGA crate : 6.52		: 50-pound sack	: 1.03	.86		1.05	1.06	1.02
Carrots, topped, New York Bushel 1.12 1.12 1 Calliflower, Texas Double-deck crate 4.33 3.87 3 Celery, Golden Heart,		:	:	4 - 0	4 -0		, ,	
New York : Bushel : 1.12 1.12 3.87 3 3 3 3 3 3 3 3 3		: WGA crate :	: 6.52	6.08	6.58	7.00	6.23	6.16
Calliflower, Texas Celery, Golden Heart, Florida : 16-inch crate : 6.00 5 Celery, Golden Heart, : California : ½ crate : 4.97 7.80 Celery, Pascal, Calif. : 16-inch crate : 3.54		:	:			,		
Celery, Golden Heart, :								1.25
Florida		:Double-deck crate:		4.33			3.87	3.34
Celery, Golden Heart, : 1		:						
California : ½ crate : 4.97		: 16-inch crate :					6.00	5.75
Celery, Pascal, Calif. : 16-inch crate : 3.54		;	1				- 0-	
Cucumbers, Florida : Bushel : 2.77 8.58 2.93 4.35 6. Eggplant, Florida : Bushel : 2.54 3.00 3.25 3.70 2.25 2. Escarole, Florida : 1-1/9 bu. crate: 1.60 1.88 3.29 1.60 1. Lettuce, Iceberg type, : California : 2-dozen carton : 4.43 5.25 4.90 4. Onions, Sweet Spanish, : Idaho, large size : 50-pound sack : 1.88 1.87 2.05 2.55 2.30 2. Onions, yellow, New York: medium size : 50-pound sack : .98 .91 1.17 1.81 1.66 1. Feppers, green, Florida : Bushel : 7.88 4.25 2.83 2. Spinach, Savoy type, : various States : Bushel : 1.05 2.19 1.00 1.18 2. Tomatoes, Florida : 6x6, 60-lb. crt.: 11.70 8.75 7.00 5. Chicago Beans, snap, green, : Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beats, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8. Cabbage, Domestic Round : type, Wisconsin : 50-pound sack : .95 .85 1.00 1.15 1.25 1. Carrots, bunched, : California : WGA crate : 5.75 5.25 5.75 5.25 6.6 Carrots, topped, Ill. : 50-pound sack : .80 .85 1.10 1.10 1.0 Celery, Pascal, Calif. : 16-inch crate : 3.00 5.25 6.6 Eggplant, Florida : Bushel : 3.60 8.25 7.50 3.40 3.65 4.0 Eggplant, Florida : Bushel : 2.60 3.90 2.50 2.5 Escarote, Florida : Bushel : 2.60 3.90 2.50 2.5 Lettuce, Iceberg type, : WGA crate, : 2 dozen heads : 2.25 4.00 4.50 2.25 4.00		. ~			1			
Eggplant, Florida : Bushel : 2.54 3.00 3.25 3.70 2.25 2. Escarole, Florida : 1-1/9 bu. crate: 1.60 1.88 3.29 1.60 1. Lettuce, Iceberg type, : California : 2-dozen carton : 4.43 5.25 4.90 4. Onions, Sweet Spanish, : Idaho, large size : 50-pound sack : 1.88 1.87 2.05 2.55 2.30 2. Onions, yellow, New York: medium size : 50-pound sack : .98 .91 1.17 1.81 1.66 1. Peppers, green, Florida : Bushel : 7.88 4.25 2.83 2. Spinach, Savoy type, : : : various States : Bushel : 1.05 2.19 1.00 1.18 2. Tomatoes, Florida : 6x6, 60-lb. crt.: 11.70 8.75 7.00 5. Chicago : : Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beets, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8. Cabbage, Domestic Round : : : : : : : : : : : : : : : : : : :					4.10			5.30
Escarole, Florida : 1-1/9 bu. crate: 1.60 1.88 3.29 1.60 1. Lettuce, Iceberg type, : : : : : : : : : : : : : : : : : : :								6.2 5
Lettuce, Iceberg type, : California : 2-dozen carton :					3.25			2.32
California : 2-dozen carton : 4.43 5.25 4.90 4. Onions, Sweet Spanish; : : : : : : : : : : : : : : : : : : :		: 1-1/9 bu. crate:	1.60	1.88		3.29	1.60	1.81
Onions, Sweet Spanish, : Idaho, large size : 50-pound sack : 1.88 1.87 2.05 2.55 2.30 2. Onions, yellow, New York: medium size : 50-pound sack : .98 .91 1.17 1.81 1.66 1. Peppers, green, Florida : Bushel : 7.88 4.25 2.83 2. Spinach, Savoy type, : various States : Bushel : 1.05 2.19 1.00 1.18 2. Tomatoes, Florida : 6x6, 60-lb. crt : 11.70 8.75 7.00 5. Chicago : Beans, snap, green, : Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beets, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8. Cabbage, Domestic Round : type, Wisconsin : 50-pound sack : .95 .85 1.00 1.15 1.25 1. Carrots, bunched, : California : WGA crate : 5.75 5.25 5.75 5.25 6. Carrots, topped, Ill : 50-pound sack : .80 .85 1.10 1.10 1.6 Celery, Golden Heart : Florida : 16-inch crate : 3.00 5. Calery, Pascal, Calif : 16-inch crate : 3.10 3.75 3.50 4.00 3.65 4.5 Cucumbers, Florida : Bushel : 3.60 8.25 7.50 3.40 5.25 6.5 Eggplant, Florida : Bushel : 3.60 8.25 7.50 3.40 5.25 6.5 Eggplant, Florida : Bushel : 2.60 3.90 2.50 2.5 Lettuce, Iceberg type, : WGA crate, : California : 2 dozen heads : 2.25 4.00 4.50 2.25 4.00		:		l. l.a.		1. 00	* : ;	1
Idaho, large size :50-pound sack 1.88 1.87 2.05 2.55 2.30 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00		: 2-dozen carton :		4.43	5.25	4.90	3/	4.75
Onions, yellow, New York: medium size : 50-pound sack : .98		:	- 00	3 Oct	0.05	0 55		0 (0
medium size			1.00	1.07	2.05	2.55	2.30	2.62
Peppers, green, Florida: Bushel: 7.88 4.25 2.83 2. Spinach, Savoy type, : various States: Bushel: 1.05 2.19 1.00 1.18 2. Tomatoes, Florida: 6x6, 60-lb. crt.: 11.70 8.75 7.00 5. Chicago Beans, snap, green, : Valentine, Florida: Bushel: 3.25 5.75 4.50 5.75 4.25 6. Beets, bunched, Texas: ½ WGA crate: 2.35 2.50 2. Broccoli, California: Pony crate: 4.25 5.00 7.00 5.65 8. Cabbage, Domestic Round: type, Wisconsin: 50-pound sack: .95 .85 1.00 1.15 1.25 1. Carrots, bunched, : California: WGA crate: 5.75 5.25 5.75 5.25 6. Carrots, topped, Ill.: 50-pound sack: .80 .85 1.10 1.10 1. Celery, Golden Heart: Florida: 16-inch crate: 3.00 5.6 6. Carots, Pascal, Calif.: 16-inch crate: 3.10 3.75 3.50 4.00 3.65 4. Cucumbers, Florida: Bushel: 3.60 8.25 7.50 3.40 5.25 6.25 5.25 2.5			-00	07	1 17	2 02		3 ml.
Spinach, Savoy type, various States : Bushel : 1.05 2.19 1.00 1.18 2. Tomatoes, Florida :6x6, 60-lb. crt.: 11.70 8.75 7.00 5. Chicago : : Beans, snap, green, : : Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beets, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8. Cabbage, Domestic Round : : type, Wisconsin : 50-pound sack : .95 .85 1.00 1.15 1.25 1. Carrots, bunched, : : California : WGA crate : 5.75 5.25 5.75 5.25 6.6 Carrots, topped, Ill. : 50-pound sack : .80 .85 1.10 1.10 1.6 Celery, Golden Heart : : Florida : 16-inch crate : 3.00 5.6 Celery, Pascal, Calif. : 16-inch crate : 3.10 3.75 3.50 4.00 3.65 4.3 Cucumbers, Florida : Bushel : 3.60 8.25 7.50 3.40 5.25 6.3 Eggplant, Florida : Bushel : 2.60 3.90 2.50 2.3 Lettuce, Iceberg type, : WGA crate, : California : 2 dozen heads : 2.25 4.00 4.50 2.25 4.6			.96		-			1.74
various States : Bushel : 1.05 2.19 1.00 1.18 2. Tomatoes, Florida : 6x6, 60-lb. crt.: 11.70 8.75 7.00 5. Chicago : : : 7.00 5. Beans, snap, green, : : :		: Bushel :		7.88		4.25	2.03	2.81
Tomatoes, Florida :6x6, 60-lb. crt.: 11.70 8.75 7.00 5. Chicago : : : : : : : : : : : : : : : : : : :		:	3.05	0.10	1	3 00	0	0.75
Chicago : : Beans, snap, green, : Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beets, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8. Cabbage, Domestic Round : : : 			•			1.00		2.75
Beans, snap, green, : Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beets, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8. Cabbage, Domestic Round : type, Wisconsin : 50-pound sack : .95 .85 1.00 1.15 1.25 1. Carrots, bunched, : California : WGA crate : 5.75 5.25 5.75 5.25 6. Carrots, topped, Ill. : 50-pound sack : .80 .85 1.10 1.10 1.0 Celery, Golden Heart : Florida : 16-inch crate : 3.00 5. Celery, Pascal, Calif. : 16-inch crate : 3.10 3.75 3.50 4.00 3.65 4. Cucumbers, Florida : Bushel : 3.60 8.25 7.50 3.40 5.25 6. Eggplant, Florida : Bushel : 2.60 3.90 2.50 2. Lettuce, Iceberg type, : WGA crate, : California : 2 dozen heads : 2.25 4.00 4.50 2.25 4.0		:0x0, 00-10. crt.:	11.10	0.15			7.00	5 .61
Valentine, Florida : Bushel : 3.25 5.75 4.50 5.75 4.25 6. Beets, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8.0 Cabbage, Domestic Round : : type, Wisconsin : 50-pound sack : .95 .85 1.00 1.15 1.25 1.0 Carrots, bunched, : : California : WGA crate : 5.75 5.25 5.75 5.25 6.0 Carrots, topped, Ill. : 50-pound sack : .80 .85 1.10 1.10 1.0 Celery, Golden Heart : : : Florida : 16-inch crate : 3.00 5.00 Celery, Pascal, Calif. : 16-inch crate : 3.10 3.75 3.50 4.00 3.65 4.00 Cucumbers, Florida : Bushel : 3.60 8.25 7.50 3.40 5.25 6.00 Eggplant, Florida : Bushel : 2.60 3.90 2.50 2.00 Lettuce, Iceberg type, : WGA crate, : California : 2 dozen heads : 2.25 4.00 4.50 2.25 4.00		:						
Beets, bunched, Texas : ½ WGA crate : 2.35 2.50 2. Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8.6 Cabbage, Domestic Round : : : : : : : : : : : : : : : : : : :		i Bushal	2.05	C 75	h 50	c 75	1, 05	6 50
Broccoli, California : Pony crate : 4.25 5.00 7.00 5.65 8.65 Cabbage, Domestic Round : : : : : : : : : : : : : : : : : : :			3.25		4.50	2.12		6.50
Cabbage, Domestic Round: type, Wisconsin: 50-pound sack: .95 .85 1.00 1.15 1.25 1. Carrots, bunched,: California: WGA crate: 5.75 5.25 5.75 5.25 6. Carrots, topped, Ill.: 50-pound sack: .80 .85 1.10 1.10 1.0 Celery, Golden Heart: Florida: 16-inch crate: 3.00 5. Celery, Pascal, Calif: 16-inch crate: 3.10 3.75 3.50 4.00 3.65 4. Cucumbers, Florida: Bushel: 3.60 8.25 7.50 3.40 5.25 6.6 Eggplant, Florida: Bushel: 2.60 3.90 2.50 2. Lettuce, Iceberg type,: WGA crate,: California: 2 dozen heads: 2.25 4.00 4.50 2.25 4.00			h 25			7.00		2.75 8.00
type, Wisconsin : 50-pound sack : .95		. rony crave :	4.27	9.00		1.00	9.09	0.00
Carrots, bunched, : : : : : : : : : : : : : : : : : : :		· 50 nound cook	٥E	85	1 00	3 35	1 25	1 25
California : WGA crate : 5.75 5.25 5.75 5.25 6.0 Carrots, topped, Ill. : 50-pound sack : .80 .85 1.10 1.10 1.00 Celery, Golden Heart : : : : : : : : : : : : : : : : : : :		: >0-bonng Brek :	•37	•05	1.00	1.17	1.27	1.25
Carrots, topped, Ill. : 50-pound sack : .80 .85 1.10 1.10 1.00 1.00 Celery, Golden Heart : : : : : : : : : : : : : : : : : : :		· UCA anata	5 75	5 25	5 75		5 25	6.00
Celery, Golden Heart : : : : : : : : : : : : : : : : : : :								1.00
Florida : 16-inch crate : 3.00 5.00		· >o-bommor sack :		.0)		T+TO	T.10	1.00
Celery, Pascal, Calif.: 16-inch crate: 3.10 3.75 3.50 4.00 3.65 4.00 Cucumbers, Florida: Bushel: 3.60 8.25 7.50 3.40 5.25 6.00 Eggplant, Florida: Bushel: 2.60 3.90 2.50 2.00 Lettuce, Iceberg type,: WGA crate,: California: 2 dozen heads: 2.25 4.00 4.50 2.25 4.00		. 16-inoh orete		3.00				5.00
Cucumbers, Florida : Bushel : 3.60 8.25 7.50 3.40 5.25 6.3 Eggplant, Florida : Bushel : 2.60 3.90 2.50 2.3 Lettuce, Iceberg type, : WGA crate, : California : 2 dozen heads : 2.25 4.00 4.50 2.25 4.0		· _						4.10
Eggplant, Florida : Bushel : 2.60 3.90 2.50 2.5 Lettuce, Iceberg type, : WGA crate, : California : 2 dozen heads : 2.25 4.00 4.50 2.25 4.0								6.25
Lettuce, Iceberg type, : WGA crate, : California : 2 dozen heads : 2.25 4.00 4.50 2.25 4.0						_		2.35
California : 2 dozen heads : 2.25 4.00 4.50 2.25 4.0	Lettuce. Treberg type		2.00	3.50			 • >0	2.37
	California		2.25	4.00	4,50		2.25	4.65
		, = 404CH HOOMD .	/		1.70		/	,
	California and Idaho	50-nound sade	1.45	1.60		2,20	1.90	2.35
Onions, yellow, Globe, :	Onions, vellow Clobe	, /u-product soca. :	1.7/	1.00			1.50	
Midwestern : 50-pound sack : 1.05 1.05 1.50 1.85 1.50 1.	Midwestern	. 50-nound sack	1.05	1.05	1.50	1.85	1.50	1.40
							-	2.75
Spinach, flat type, :	Spinach, flat tyme	. Description	0.00			J-1_0	/	
	Texas	Bushel	1.50	2.20		1.75	1.60	2.00
· Didner · 1100 Eller - 1100 Eller		, Dagmer :	1.70					

- 18 -

Table 5.- Vegetables, commercial for fresh market: Average prices received by farmers, U. S., December 1954, with comparisons

	:	1	:		Average	first half	of month	
Commodity	•	Unit	;_	19	953		1954	
	: :	1	; :	November	December	October	November	December
	:		;	Dollars	Dollars	Dollars	Dollars	Dollars
Beans, lima	:	Bu.	:	2.30	4.00	2.55	2.20	4.50
Beans, snap	ŧ	Bu.	:	2.65	2.40	2,20	3.05	2.50
Beets	:	Bu.	•	1.15	1.00	1.50	1.20	1.00
Broccoli	:	Crt.	:	3,65	3.45	3.55	4.75	3.90
Cabbage	:	Ton :	•	28.10	18.30	27.40	30.00	41.40
Carrots	:	Bu.	:	2.10	2.15	1.50	1.85	2.00
Cauliflower	:	Crt.	:	1.25	1.00	1.25	1.90	1.55
Celery	•	Crt.	:	2.15	1.85	1.80	2.25	2,15
Corn, sweet	:5	doz. ears:	:	2.15	2.80	1.55	2.20	2.50
Cucumbers	:	Bu.	:	3.95	1.85	3.00	1.95	2.20
Eggplant	:	Bu.	•	2.80	2.00	1.75	2.50	1.25
Lettuce	:	Crt. :	:	3.10	2,50	4.15	4.75	2.20
Onions	:	Sack :	:	.60	.65	•90	1.10	1.05
Peas, green	•	Bu.	:	3.40	3.30	3.50	3.45	4.60
Peppers, green	:	Bu.	•	1.70	4.60	.85	1.55	1.70
Spinach	:	Bu.	:	•95	1.10	1.05	1.15	1.25
Tomatoes	:	Bu.	•	3.75	5.10	2.90	4.25	4.30
	:	:	:					

Table 6.- Vegetables, commercial for fresh market: Index numbers (unadjusted) of prices received by farmers, United States, as of the 15th of the month, indicated periods 1/

					(19	10-191	4 = 1	100)					
Period :	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	: :Sept.	:0ct.	Nov.	Dec.	Average
1935-39 1947-49 Year	-00	121 305	133 310	130 308	125 27 7	98 215	87 207	82 196		90 204	103 241	115 246	107 2 49
1950 : 1951 : 1952 : 1953 : 1954 :	338 301 263	213 346 249 275 233	195 288 294 267 246	276 333 341 233 225	231 276 311 259 279	211 215 294 298 200	200 203 289 252 243	170 197 24 0 207 223	190	165 211 224 198 191	214 290 266 218 237	249 343 281 224 216	211 269 274 240 228

l/Revised. In addition to the vegetables included in the series published prior to Jan. 1954, the following have been added: broccoli, sweet corn, cucumbers, and watermelons.

Table 7.- Vegetables for commercial processing: Acreage, production, and season average price per ton received by farmers, average 1943-52, annual 1953 and 1954

	Har	vested acre	eage	P	roduction	٠ :	Pri	ice per t	on
Crop	Average 1943-52	1953	1954	Average 1943-52	1953	1954	Average 1943-52	1953	1954
':	Acres	Acres	Acres	1,000 tons	1,000 tons	1,000 tons	Dol.	Dol.	Dol.
Asparagus	79 , 840	88,870	100,850	97.6	93,6	101,6	183,00	202.80	226,10
Beans, lima 1/	83,160	110,290	111,770	63.0	106,8	102,9	135,90	152,80	149.30
Beans,	127,350	142,940	150,900	232.3 141.2	310.7 158.9	352.3 147.4	109.10 20.70	125.50 20,10	120.80 19.60
Beets Cabbage	16,410	16,500	15,650	•					-
for kraut :	17,410	17,830	15,980	177.1	226.4	209.6	14.90	13,40	11.90
sweet 2/ Cucumbers for pick-	467,630	503,340	453,210	1,205.4	1,514.1	1,487.6	20,60	23,40	20,80
les ?	120,940	148,560	140,120	232,6	330,0	305.0	5 8 .60	64,50	60.20
green 1/	430,600	430,900	424,360	433.0	464.6	39 8.2	86,00	93,60	91,50
tos 3/ Spinach	15,640 38,770	26,900 27,140	31,300 26,540	17.4 114.3	34.0 107.4	22.2 97.3	65.00 47.90	99.00 3 8.10	89.10 39. 70
Tomatoes	448,500	297,300	266,650	3,038.6	3,234.9	2,729.2	27.80	27.50	24.20
Total	1,845,050	1,810,570	1,737,330	5,743.5	6,581.4	5,953.3	39-20	42.10	40.90

Table 8 .- Frozen vegetables: Cold-storage holdings, December 31, 1954, with comparisons

	: Dec.	1953	,		1954		
Commodity	: average : 1949-53	Dec. 31	Aug. 31	:Sept. 30	Oct. 31	Nov. 30	Dec. 31
	: 1,000 : pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Asparagus Beans, lima Beans, snap Broccoli Brussels sprouts Cauliflower Corn, sweet Peas, green Pumpkin and squash Spinach	11,100 : 77,425 : 51,363 : 31,174 : 17,221 : 15,338 : 46,297 : 124,677 : 10,863 : 34,463	16,546 93,751 69,415 48,916 25,573 24,081 78,041 155,945 13,218 44,779	21,237 60,350 86,342 27,009 12,049 10,472 60,405 197,723 4,269 36,006	19,648 114,078 101,501 30,841 13,872 11,431 91,187 192,153 3,784 32,068	17,738 123,716 95,386 35,395 19,054 13,993 102,637 167,235 7,894 29,459	15,105 117,074 87,951 33,399 25,797 13,299 97,534 146,223 11,121 26,469	13,358 104,568 77,392 31,230 28,879 12,641 88,583 120,732 10,413 23,946
Other vegetables Total	86,885	134,321 704,586	86,447	87,521 698,084	96,508 709,915	115,294	124,683 636,425

 $[\]frac{1}{2}/$ Production and price on a "shelled" basis. $\frac{1}{2}/$ Corn in the husk. $\frac{3}{2}/$ Georgia and Tennessee plus acreage contracted in other States by Georgia processors.

- 20 -TVS-115

Table 9. - Canned vegetables: United States commercial packs 1953 and 1954 and canners' and wholesale distributors' stocks, indicated periods in 1954, with comparisons

	: Pa	cks	;			Stoc	ks			
G 3 : 4	3	:	;		/		;		Wholesal	.e
Commodity	: 1953	: 1954	:	O	anner 1		•	di	stributo	or 1/
	:	:	: Da	te:	1953	: 1954	: Date			
	: 1,000	1,000		,	1,000	1,000	· ·	3	1,000	1,000
	: cases	cases	:		cases	cases	:	9	cases	cases
	: 24/2'5	24/2's	:	ő	24/2's	24/2's	:	:	24/2's	24/218
Major commodities	•		:	2			:	:		
Beans, snap	: 22,611	27,069	:July	1:	303		:Nov.			3,447
Corn, sweet	: 30,982	30,619	:Dec.	31:	20,188	8 22,049				3,793
Peas, green	: 28,037	23,951					:Nov.	1:	3,950	3,654
Tomatoes	: 22,334	21,827	:Dec,	31:	6/14,183	10,476	:Nov.	1:	4,168	3,748
Tomato juice 2/	: 37,754	27,062	Dec.	31:	T/26,802	21,489	:Nov.	1:	4,199	3,643
Total	: 141,718	130,528	•	;	81,086	72,724	:Nov.	1:	19,647	18,285
	:		:	:			:	•		
Minor commodities	•		:	;			:	:		
Asparagus	: 4,018	4,978			6/918		July		716	812
Beans, lima	: 3,085	3,520	_		_ 193		:July		561	533
Beets	8,583		:July		1,341		July			1,059
Carrots	2,747		:July	1:	551	1,028	;July	1;	480	429
	: <u>3</u> /22,440			:				-:		~~~
Pimientos	: 1,022	693		;			•	-:		~#*
Pumpkin and squash		2,141			2,247		Jan,		1,047	668
	: <u>3</u> /12,226	3/11,318	:Dec.	1:	4/6,375	4/7,233	Nov.	1:		833
Potatoes	2,786	N.A.	;	;			:	-;	*** ***	
Sweetpotatoes	: 4,876	N.A.		:			•	-:		
Spinach	: 5,407	N.A.	Dec.	31:	5/1,239	5/772	Jan.	1:	889	729
Other greens	2,255	N.A.	: •	:	~~~			-+		
Tomato products:	:		•	3		!	:	:		
Catsup, chili sauce					6/11,487			1:	1,517	1,593
Paste	: 5/6,454				5/6/3,630	5/2,708		- :		
Pulp and puree	: 73,643	3,159	Dec.	31 :5	610,610	<u>5/891</u>	Jan.	1:	1,084	882
Sauce	: 6/5,570			31 :5	5/6/4,050	5/4,624	Jan.	1:	587	722
Vegetables, mixed	: 73,630	N.A.	: -	:	~~-		;	-;		
Total, comparable		:	:	:	-1	;	;	:		
minor items	: 72,768	72,974	-	:	33,641	29,320		~:	7,927	7,427
Grand total, com-	•		;	•			;	:		4
parable items	: 214,486	203,502	; -	:	114,727	102,044		-;	27,574	25,712
·	•		:	:		9		•		

to standard cases of 24 No. 2 cans by the Statistical and Historical Branch of AMS. 2/ Includes combination vegetable juices containing at least 70 percent tomato juice. 3/ Crop for processing converted to a canned basis by applying an overall conversion factor (pickles 68 and sauerkraut 54 cases equivalent to 1 ton fresh). 4/ Reported in barrels; converted to 24/2's by using 14 cases to the barrel. 5/ California only. 6/ Estimated.

Canners' stock and pack data from National Canners Association, unless otherwise noted. Wholesale distributors' stocks from United States Department of Commerce,

Bureau of the Census.

Table 10.- Potatoes: Acreage, yield per acre, and production, average 1943-52, annual 1953 and 1954

	: Harv	ested acr	eage :	Yiel	d per	acre	: P:	roduction	
Group of States	Average 1943-52	: 1953 :	1954 :	Average: 1943-52	1953	: : 1954 :	Average 1943-52	: : 1953	: : 1954 :
	: 1,000 : acres	1,000 acres	1,000 acres	Bu'.	Bu.	Bu.	1,000 bu.	1,000 bu.	1,000 bu;
Early 13 States	: : 402.0	303,8	239.4	163	216	217	61,695	65,555	51,931
7 States Late	: 189.1	105.3	99.7	149	168	158	27,181	17,641	15,715
9 Eastern 9 Central 11 Western	: 505.2 : 599.2 : 442.7	372.1 360.5 382.9	349.0 338.5 378.1	264 145 261	303 182 309	300 200 305	127,396 79,676 113,079	112,743 : 65,664 118,472 :	104,646 67,613 115,194
Total of late States	: :1,547.1 :	1,115.5	1,065.6	207	266	270	320,151	296, 879	287,453
Total of 36 late and intermediate	: :								
States	:1,736.2	1,220.8	1,165.3	200	258	260	347,332	314,520	303,168
Total U.S.	: :2,138,3 :	1,524.6	1,404.7	202	249	253	409,027	380,075	355,099

Table 11.- Sweetpotatoes: Acreage, yield per acre, and production, average 1943-52, annual 1953 and 1954

Group	Harve	sted ac	reage	: Yield	per a	acre	:	Product	ion
and State	:Average:	1953	1954	:Average:	1953	: 1954	:Average		: 1954
Central	: 1,000 : acres	1,000 acres	1,000 acres	Bu.	Bu.	Bu.	1,000 bu.		1,000 bu.
Atlantic 1/	46.3	40.4	42.9	130	162	159	6,002	6,531	6,800
Atlantic 2/ South	: 177.2	111.0	100.0	91	94	71	16,089	10,393	7,098
Central 3/ North	: 301.8	183.2	186,1	87	86	76	2 6,234	15,712	14,106
Central 4/ California Total, United	: 11.3 : 11.0	5.2 11.0	4.5 12.0	98 110	62 1 2 0	84 125	1,111 1,201	320 1,320	376 1,500
States	: 547.1 :	350.8	345.5	93	98	86	50,637	34,276	29,880

^{1/} New Jersey, Maryland, Delaware, and Virginia. 2/ North Carolina, South Carolina, Georgia, and Florida. 3/ Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, and Texas. 4/ Indiana, Illinois, Iowa, Missouri, and Kansas.

Table 12.- Potatoes: F.O.B. prices, New York and Chicago wholesale market prices, indicated periods 1954-55, with comparisons

	;	1953-54			1.95	4 - 5 <u>5</u>	
Location and variety	W	eek ende	ed.		Week	ended	
-	Nov. 14	Dec.12	Jan. 16	Oct.16	Nov, 13	Dec.11	Jan. 15
F.O.B. SHIPPING POINTS New Crop	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
Lake Okeechobee Section, Florida, Triumph (50 pound sack) 1/ Old Crop	:		2.16			·	1.75
San Luis Valley, Colorado, Red McClure 1/	: : <u>2</u> /1.86	<u>2</u> /1.60	<u>2</u> /1.50	<u>2</u> /2.12	2/1.98	<u>3</u> /1.75	<u>3</u> /1.96
Idaho Falls, Russet Burbank 1/2/ Connecticut River Valley	: : 2.25 :	1.82	<u>4</u> /1.79	2.14	2.68	2.70	3.26
Points, Connecticut, U.S. No. 1 <u>5</u> /	: 1.25	1.20	1.15	1.88	2.05	2.05	2.15
Aroostook County, Maine, Katahdin 2/6/ Riverhead, Long Island, and	: <u>7</u> /1.04	.82	.92	<u>7</u> /1.70	2.10	1.81	2.04
nearby points 5/ Rochester, West and Central	1.44	1.28		1.67	2.20	2.36	2.63
New York 5/6/ Lancaster-Allentown Section Pennsylvania, Katahdin, U.S.	1.61	1.37	1.30	1.95	2.50	2.22	2.22
No. 1	: 1.64	1.44	1.36	6/1.80	6/2.49	2/2.36	2/2.37
West Michigan points, 5/6/7/ Wisconsin points, Madison,	: 1.56	1.36	1.42	1.90	2.24	2.04	2.14
Wisconsin $1/5/$: 1.68	1.50	1.38	1.60	1.82	1.86	. 1.90
	:	Tu	esday ne	earest r	nid-mont	1	
	: :Nov. 17	: Dec.15:	Jan. 19:	Oct.19	Nov. 16	Dec.14	Jan. 18
TERMINAL MARKETS NEW YORK		·				<u>.</u>	<u> </u>
Katahdin, Long Island	: 1.90	1.78 1.81	1.81	2.10	2.73	2.73 2.77	
Katahdin, Maine 2/ Russet Burbank, Idaho 1/	4.28	4.25	1.90 4.25	4.35.	4.65		
CHICAGO - Round Red, Midwestern Russet Burbank, Idaho 1/	: 2.35 : 3.50	2.10 3.50		- :			

^{1/} Washed. 2/2-inch minimum. 3/2-3 inch minimum. 4/15-20 percent, 10 oz. and larger. 5/ Various varieties. 6/ Delivered sales shipping point basis. 7/50-pound price doubled.

F.O.B. prices are simple averages of the mid-point of the range of daily prices and are compiled from Market News Reports of AMS. Market prices are submitted Tuesday of each week by Market News representatives.

Table 13.- Sweetpotatoes: F.O.B. prices at Southern Louisiana points and representative market prices (1.c.1. sales) at New York and Chicago for stock of generally good quality and condition (U.S. No. 1, when available), indicated periods, 1954-55, with comparisons

and the second s	:	**	W	eek ended			
14	:	1953-5			199	54 - 55	
Location and variety	Nov. 14	Dec. 12	Jan. 16	Oct. 16	Nov. 13	Dec. 16	Jan. 15
	:Dollars	Dollars	Dollars	Dollars	Dollars	Dollars	Dollar
F.O.B. Shipping Points S.W. Louisiana points	:	2.08	3.04	2.70	3 . 46	4.32	4.34
Porto Rican 1/	: 3.08 :	3.98	3.04	2.10	J•40	40)4	40,74
	:		Tuesday	nearest n	nidmonth		
	: Nov. 17	Dec. 15			Nov. 16	Dec. 14	Jan. 11
Terminal Markets NEW YORK	:	,					
Jersey type, New Jersey	:	2.97	3.18	2.33	2.00	2.25	. 3.25
Porto Rican, North Carolina	3.53	3.86	3.98	4.00	3.89	4.66	4.88
CHICAGO Porto Rican,	· :						
Louisiana 1/	3.90	4.55	3,60	3 .5 5	4.15	4.85	4.90
1/50-pound crate.					·		

F.O.B. prices are simple averages of the mid-point of the range of daily prices. Warket prices are for Tuesday of each week and are submitted by Market News representatives to Fruit and Vegetable Section of AMS.

Table 14.- United States average prices received by farmers for important field crops, December 15, 1954, with comparisons

	,		, `				
	: Avera	ge	: 1953	1954			
Commodity and unit	: August 1909-: July 1914 :	January 1947- December 1949	:December	:October : 15	: November : 15	:December : 15	
	: Dollars	Dollars	Dollars	Dollars	Dollars	Dollars	
Potatoes, per bushel Sweetpotatoes, per	.681	1.48	•699	•932	1.09	1.05	
bushel	. 878	2.36	2.46	2,12	2.22	2.59	
Beans, dry, edible, per cwt. Peas, dry, field, per cwt.	: : 3•37	9.92	8,11	7.81	8.19	8.34	
	· :	4.60	5.58	4.31	6.00	6.87	

Table 15.- Beans dry, edible: Acreage, yield per acre, and production, average 1943 52, annual 1953 and 1954

States	:	Harve	sted ac	reage	: Yiels	i per ac	re	Pr	oduction	n_1/
and class	:	Average 1943-52	1052	1954	:Average:			: Average : 1943-52	: 1973	1954
		1,000	1,000	1,000				1,000	1,000	1,000
	:	acres	acres	acres	Pounds	Pounds	Pounds	bags	bags	bags
meine, New York,	:									
and Michigan 2/	:	623	513	565	922	1,077	918	5,690	5,523	5,18b
Neb., Mont.,	:		, 3							
Idaho, Wyo., and	ì:									
Washington 3/	:	318	311	358	1,554	1,821	1,752	4,893	5,662	6,271
Colo., N. Mex.,	:		_	•	, , ,	Í				
Ariz., Utah 4/	:	449	290	319	587	881	127	2,501	2,556	2,320
California:	:	-								
Large lima	:	81	ť:8	73	1,521	1,857	1,895		1,263	1,383
Baby lima	:	69	36	43	1,552	1,950			702	
Other <u>5</u> /	:	186	179	218	1,201	1,377			2,465	2,897
TOTAL U. S.	:	1,725	1,397	1,576	1,037	1,301	1,199	17,600	18,171	18,899
	:									

^{1/} Bags of 100 pounds, uncleaned beans; includes beans for seed. 2/ Largely Pea beans, but most important source also of Red Kidney, Yelloweye, and Cranberry.
3/ Largely Great Northern, but Idaho also is the most important source of Small Reds. 4/ Largely Pinto beans. 5/ Mostly Blackeye, Small White, and Pink.

Table 16.- Beans, dry, edible: Production in selected areas, by major types, United States, crop years 1953 and 1954

Type			Idaho and :Colorado and: New York : California others 1/ : others 2/ : and Maine :						To	Total		
TA he	1953	1954	1953	1954	1953	1954	1953	1954	195	3 195	4: 1953	195
	: 1,0 : bags		l,C		l,(000		,000 gs 3/		,000 gs 3/	,	000 s 3/
	. vags	<u>. 2</u> /	oags	2 .2/	Dag	≥ 2/	va	80 3/		25 2/		12 12
Pea (Navy)	:3,428	2,946	22	27			157	158		~	3,607	3,1
Great Northern	:		1,819								1,819	
Pinto Red Kidney	: 10 : 87	72 120	2,385	2,260	2,423	2,182	1,062	955	· 50 138		, _	
Standard	:						, -		_	1,259	•	- 0
lima Baby lima	:				*** **. **				639			
Other varieties	: 225	116	914	1,337	7	1.1	294	200	2,021	2,405	3,461	4,0
Total	: :3,750	3,254	5,140	5,633	2,430	2,193	1,513	1,313	3,985	4,610	16,818	17,00
	•	5, 7	-,-	,, 55	, 5	, , ,	, , , ,	, , ,		•	•	

^{1/} Includes Montana, Wyoming, Nebraska, and Washington. 2/ Includes New Mexico, Arizona, and Utah. 3/ Bags of 100 pounds, cleaned basis.

Table 17.- Peas, dry, field: Acreage, yield per acre, and production, average 1943-52, annual 1953 and 1954 1/

	 	•								
	Harve	sted ac	reage	Yie	ld per a	acre	Production 2/			
State	Average 1943-52	1953	1954	Average 1943-52	1953	1954	Average 1943-52	1953	1954	
	1,000 acres	1,000 acres	1,000 acres	Pounds	Pounds	Pounds	1,000 bags	1,000 bags	1,000 bags	
innesota	4	4	4	957	1,150	1,200	39	46	48	
orth Dakota	9	5	4	1,024	1,400	1,100	100	70	44	
ontana	20	6	4	1,217	1,120	1,400	230 With \$6.50	67	56	
daho	128	90	93	1,300	1,275	1,275	1,668	1,148	1,186	
yoming	3	6	5	1,256	1,600	1,970	43	96	98	
olorado	16	6	5	913	1,100	850	146	66	42	
ashington	221	125	140	1,261	1,300	1,330	2,837	1,625	1,862	
regon	26	14	5	1,115	1,100	1,000	299	154	50	
alifornia :	<u>3</u> /15	6	8	<u>3</u> /1,119	1,300	1,225	<u>3</u> /158	78	98	
Total	. 443 :	262	268	1,238	1,279	1,300	5,519	3,350	3,484	

^{1/2} In commercial producing States. Includes peas grown for seed and cannery peas arvested dry.

^{2/} Bags of 100 pounds uncleaned peas.

^{3/} Short-time average.

U. S. Department of Agriculture Washington 25, D. C.

Penalty for private use to avoid payment of postage \$300

OFFICIAL BUSINESS

AMS-TVS-115-1-5>

:		:
:	notice	:
:	If you no longer need this	:
:	publication, check here	:
:	return this sheet, and your	:
;	name will be dropped from the	:
:	mailing list.	:
:		:
:	If your address should be	:
:	changed, write the new address	:
:	on this sheet and return the whole	:
:	sheet to:	:
:	Agricultural Marketing Service,	:
:	United States Department of	:
:	Agriculture	:
:	Washington 25, D. C.	:
:		;
:		: